

OPERATING LIGHTS

CEILING MODELS

O.T. Light Ceiling Double Dome (7 + 4) with imported Dichroic Reflector

Dia of Main Dome	28" Dia
Reflector	Seven D Glass Reflectors
Dia of Satellite Dome	20" Dia, 1/2 Dia
Reflector	Four Dichroic Glass reflections
Light Intensity	200000 Lux +10%at 90 cm
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Ceiling Single Dome 7 Reflector with imported Dichroic Reflector

Dia of Dome	28" Dia
Reflector	Seven Dichroic Glass reflections
Light Intensity	150000 Lux +10% at 90 cm
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Ceiling Single Dome Single Reflector with imported Dichroic Reflector

Dia of Dome	20" Dia
Reflector	Single

Reflector	One
Light Intensity	100000 Lux +10% at 90 cm
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Ceiling Double Dome 4 + 1 Reflector

Dia of Main Dome	20" $\tilde{\text{A}}$, $\hat{\text{A}}$ ½ Dia
Reflector	Four Dichroic glass reflections
Dia of Satellite Dome	20" $\tilde{\text{A}}$, $\hat{\text{A}}$ ½ Dia
Reflector	One 14" Dichroic glass reflections
Light Intensity	150000 Lux +10% at 90 cm
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Ceiling Double Dome 4 + 4 Reflector

Dia of Main Dome	20" $\tilde{\text{A}}$, $\hat{\text{A}}$ ½ Dia with four reflector
Dia of Satellite Dome	20" $\tilde{\text{A}}$, $\hat{\text{A}}$ ½ Dia with four reflector
Light Intensity	100000 Lux +10% at 90 cm
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Ceiling single dome 4 Reflector with imported Dichoric reflector

Dia of Dome	20" Dia
Reflector	Four Dichroic glass reflections
Light Intensity	100000 Lux +10% at 90 cm
Filter	Glare free, cool, white light

Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Ceiling Double Dome (1 + 1 Reflector)

Dia of Both Dome	20" \hat{A} , \hat{A} ½ Dia
Light Intensity	100000 Lux +10% at 90 cm
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

FLOOR MODELS

O.T. Light Mobile Single Reflector

Dia of Dome	20" DIA
Reflector	Single reflector
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down

O.T. Light Mobile Four Reflector

Dia of Dome	20" DIA
Reflector	Four reflector
Filter	Glare free, cool, white light
Center Handle	Sterilizable handle
Halogen Bulbs	24V or 12V
Transformer	Heavy duty step down.