

# Switched Mode Power Supplies (SMPS)



The range includes:

- Single Output type in 5V/ 12V/ 24V/ 48V
- Currents of 0.6Amps to 100 Amps
- Dual output type
- Triple output type
- Quad output type
- DIN RAIL Type
- 3 phase AC input type.

*Digital Promoters bring to you the immensely popular **Meanwell SMPS** Power Supplies, backed by full Application and Service Support. Most Models are available from Ready Stock and can be shipped immediately anywhere in the Country.*

*Established in 1982, MEANWELL is one of the largest manufacturers of SMPS*

Meanwell SMPS have the following distinct advantages

- Small manageable sizes
- Very high efficiency
- Wide input ranges
- Overload and short circuit protections
- Various International Approvals

OEM & DEALER  
ENQUIRIES WELCOME

Please ask for Detailed Data Sheets / Price List / Quotations as per specific requirements.



We offer:

- READY STOCK AVAILABILITY OF ALL MODELS
- FULL SERVICE SUPPORT
- VERY COMPETITIVE PRICING
- MODVAT BILLS IF REQUIRED

Sales, Service & Application Support by:



**DIGITAL PROMOTERS**  
(INDIA) PRIVATE LIMITED



502 & 505, Vishal Bhawan, 95, Nehru Place New Delhi - 110019  
Ph: 011-41618100, 26418118, Fax: 011-26437849  
Email: [digitalpromoters@gmail.com](mailto:digitalpromoters@gmail.com) Web: [www.DigitalPromoters.com](http://www.DigitalPromoters.com)

## Range of Models available EX-STOCK

<b>MEANWELL SMPS PRICE LIST</b>					
S.NO	Model	Watts	Amp.	Dimm (mm)	Approvals
				HxWxL	
<b>24 VOLTS DC – MODELS</b>					
1	S-15-24	15	0.62	96x97x35	--
2	S-35-24	35	1.5	129x98x38	--
3	S-50-24	50	2.1	159x97x38	--
4	S-60-24	60	2.5	159x97x38	UL/CUL/TUV/CB/CE
5	S-100-24	100	4.5	199x98x38	--
6	S-100F-24	100	4.5	199x98x38	UL/TUV/CB/CE
7	S-150-24	150	6.5	199x110x50	UL/CUL/TUV/CB/CE
8	S-201-24	200	8.33	215x115x50	--
9	S-240-24	240	10	190x93x65	UL/CUL/TUV/CB/CE
10	S-250-24	250	10	150x140x86	--
11	S-350-24	350	14.6	215x115x50	--
12	SP-500-24	500	20	170x120x93	UL/CUL/TUV/CB/CE
13	SE-600-24	600	25	247x127x64	UL/CUL
14	PSP-600-24	600	25	170x120x93	UL/CUL/TUV/CB/CE
15	SCN-800-24	800	33	291x132x68	--
16	SE-1000-24	1000	41.7	278x127x63	--
17	SCN-1K2-24	1200	50	291x132x132	UL/CB
<b>SUPER COMPACT NES SERIES</b>					
1	NES-35-12	35	3	99x97x36	CUL/CB/CE
2	NES-50-12	50	4.2	129x98x38	CUL/CB/CE
3	NES-15-24	15	0.7	79x51x28	CUL/CB/CE
4	NES-35-24	35	1.5	99x97x36	CUL/CB/CE
5	NES-50-24	50	2.2	129x98x38	CUL/CB/CE
6	NES-75-24	75	3.2	159x97x38	CUL/CB/CE
7	NES-100-24	100	4.5	159x97x38	CUL/CB/CE
<b>DIN RAIL MOUNTED MODELS</b>					
1	DR-45-05	45	5	78x93x67	UL/CUL/TUV/CB/CE
2	MDR-20-24	20	1	22.5x90x100	UL/CB/CE
3	DR-45-24	45	2	93x78x67	UL /CUL/TUV/CB/CE
4	DR-75-24	75	3.2	55.5x125.5x100	UL/CUL/TUV/CB/CE
5	DR-120-24	120	5	100x65.5x125.2	UL /CUL/TUV/CB/CE

6	DRP-240-24	240	10	125.5x100x125.2	UL /CUL/TUV/CB/CE
7	DRP-480-24	480	20	227x125.2x100	UL /CUL/TUV/CB/CE

#### DIN RAIL THREE PHASE SERIES

1	DRT-240-24	240	10	125.5x125.2x100	UL/CUL/TUV/CB/CE
2	DRT-480-24	480	20	227x125.2x100	UL/CUL/TUV/CB/CE
3	DRT-960-24	960	40	276x125.2x100	UL/CUL/TUV/CB/CE

#### 12 / 15 VOLTS DC OUTPUT – MODELS

1	S-15-12	15	1.25	99x97x35	--
2	S-35-12	35	3	129x98x38	--
3	S-50-12	50	4.2	159x97x38	--
4	S-60-12	60	5	159x97x38	UL/TUV/CB/CE
5	S-100-10	100	10	199x98x38	
6	S-100-12	100	8.33	199x98x38	--
7	S-150-12	150	12.5	199x110x50	UL/CUL/TUV/CB/CE
8	S-240-12	240	18	190x93x65	UL/CUL/TUV/CB/CE
9	S-250-12	250	18	150x140x86	--
10	S-350-12	350	29	215x115x50	--
11	SE-600-12	600	50	247x127x64	UL/CUL
12	S-100-15	100	6.7	199x98x38	--
13	S-150-15	150	10	199x110x50	UL/CUL/TUV/CB/CE
14	S-201-15	200	13	215x115x50	--
15	S-250-15	250	15	150x140x86	--
16	S-350-15	350	23.2	215x115x50	--

#### 5 VOLTS MODELS

1	S-15-5	15	3	99x97x36	--
2	S-35-5	35	7	129x98x38	--
3	S-50-5	50	10	159x97x38	--
4	S-100-5	100	20	199x98x38	--
5	S-250-5	250	40	150x140x86	UL
6	SE-600-5	600	100	247x127x63.5	UL/CUL

#### 48 VOLTS MODELS

1	S-100-48	100	2	150x140x86	
2	S-250-48	250	5.2	150x140x86	--
3	S-350-48	350	7.3	215x115x50	--
4	SP-500-48	500	10	170x120x93	UL/CUL/TUV/CB/CE
5	SE-600-48	600	12.5	247x127x63.5	UL/CUL
6	SE-1000-48	1000	20.8	287x127x63.5	CSA/CE/NRTL

#### DUAL, TRIPLE & FOUR OUTPUT MODELS

1	D-30-B	30	+5V /	129x98x38mm	--
---	--------	----	-------	-------------	----

			2.2A		
			+24V / 1.0A		
2	D-120-B	120	+5V / 6A	199x110x50	UL/CUL/TUV/CB/CE
			+24 V / 4A		
3	T-30-B	30	5V/3A	129x98x38mm	--
			12V/1A		
			-12V / 0.5A		
4	T-60-B	60	+5V / 5A	159x97x38mm	UL/CUL/TUV/CB/CE
			+12V / 2.5A		
			-12V / 0.5A		
5	T-60-C	60	+5V / 5A	159x97x38	UL/CUL/TUV/CB/CE
			+15V / 2A		
			-15V / 0.5A		
6	T-120-B	120	5V / 12A	199x110x50	UL/CUL/TUV/CB/CE
			+12 V / 5A		
			-12V / 1A		
7	T-120-C	120	+5V / 10A	199x110x50	UL/CUL/TUV/CB/CE
			+15 V / 3.5A		
			-15V / 1.0A		
8	Q-120 D	120	5V / 8A	199x110x50	UL/CB/CE
			24V / 2A		
			12V/ 2A		
			-12V / 1A		
<b>DC TO DC CONVERTERS</b>					
1	SD-25B-12	25	2.1	99x97x36	--
2	SD-25C-24	25	1.1	99x97x36	--
3	SD-50C-24	50	2.1	159x97x38	--
<b>BATTERY CHARGERS</b>					
1	PA-120-13C	120	7.2	180x96x49	UL/CUL/TUV/CB/CE
2	PA-120-27C	120	4.3	180x96x49	UL/CUL/TUV/CB/CE
3	ESC-120-13.5	120	8	150x140x75	CSA/NRTL/CE
4	ESC-120-27	120	4	150x140x75	CSA/NRTL/CE
5	ESC-240-13.5	240	16	150x140x75	CSA/NRTL/CE
6	ESC-240-27	240	8	150x140x75	CSA/NRTL/CE