

Universal OHP's

Models Available:

Model No	Features
Uni 001	Single element lens with single lamp
Uni 002	Single element lens with dual lamp.
Uni 003	Single element lens with dual lamp with public address system.
Uni 004	Single element lens with dual lamp with SMPS.
Uni 005	Three element lens with dual lamp.
Uni 006	Three element lens with dual lamp with SMPS.

Technical Specifications:

Supply:	230 VAC, 50 Hz
Lamp:	24 V 250 W Halogen
Projection Stage:	250 mm x 250 mm
Cooling:	Radial Blower Cooling.
Brightness:	2800 lummens (with transformer) 3200 lummens (with SMPS)
Weight:	9 Kg.

PRO-SERIES OHP- A4 Size

Models Available:

Model No	Features
Pro 101	Single element lens with dual lamp.
Pro 102	Single element lens with dual lamp with SMPS.
Pro 103	Three element lens with dual lamp.
Pro 104	Three element lens with dual lamp with SMPS.
Pro 101H	High illumination 36 V 400 W with SMPS.

Technical Specifications:

Supply:	230 VAC, 50 Hz
Lamp:	24 V 250 W Halogen
Projection Stage:	285 mm x 285 mm
Cooling:	Radial Blower Cooling
Brightness:	3000 lumens
Weight:	10 Kg.

Image	Distance FR Projector
2.5 x 2.5 Ft. (min)	2.5 Ft
5.0 x 5.0 Ft. (ideal)	5.5 Ft
7.0 x 7.0 Ft. (max)	7.5 Ft

Chancellor OHP's

Technical Specifications:	
Supply:	230 VAC, 50 Hz
Lamp:	24 V 250 W Halogen
Projection Stage:	285 mm x 285 mm
Lens:	Three element
Cooling:	Effective cooling system
Brightness:	4000 lumens (with SMPS)
Weight:	6 Kg.